

AQUA-QUIP AUSTRALIA PRODUCTS CATALOGUE

Published June 2026



CELEBRATING 50 YEARS OF INNOVATION

Founded in 1975, Aqua-Quip is a proudly Australian, family-owned business that has been shaping the pool and spa industry for more than 50 years. Staying true to the vision of founder Roy Halle, we remain committed to local manufacturing, with our full range of LED lighting solutions and Jet-Vac Pool Cleaner produced at our facility in Sydney.

Our passion for quality drives us to partner with Australian manufacturers, suppliers, and skilled artisans to deliver exceptional Australian-made products. We continue to lead the way through innovative designs that enhance both the appearance and performance of every pool. At Aqua-Quip, our mission is to manufacture with precision and to consistently exceed customer expectations.

While our roots are firmly in Australia, our reach extends globally, with the Jet-Vac Pool Cleaner and our advanced LED lighting products exported to markets around the world. To our loyal customers, we sincerely thank you for your support over the past five decades. As we celebrate 50 years, we are not only reflecting on our history but also looking ahead with confidence. The future is bright, and we are just getting started.

- Candy Gold and Gary Clark



TABLE OF CONTENTS

Equipment


Jet-Vac Automatic Pool Cleaner	4
Booster Pumps & Flow Control Pro Plus Timer	5
Suctions, Eyeballs & Twister	6
Aquea Products	7
Transformers	8
Lighting Controls – InstaTouch & Dual Zone.....	9
Evo2 Concrete LED Niche Pool Light	10
EvoMAX Concrete LED Niche Pool Light	11
EvoCR Renovators LED Niche Pool Light	12
EvoFG Fibreglass LED Niche Pool Light	13
QC Retro-Fit Identification Chart	14
QC Series – Concrete Surface-Mounted Pool Light	15
EvoLV Compact Pipe Light featuring 50mm Pipe	16
EvoLV Concrete Pipe Light featuring Wet Niche.....	17
Retro-Fit Niche Lights	18 - 24

Spare Parts

Spare Parts for Retro-Fit.....	24
Spare Parts for Jet-Vac Pool Cleaner.....	25 - 27
Spare Parts for Evo2 LED Underwater Light	28
Spare Parts for EvoMAX LED Underwater Light	29
Spare Parts for QC LED Surface Mounted Lights.....	30 - 31
Spare Parts for EvoFG	31
Spare Parts for Aqua-Boost Booster Pump	32
Spare Parts for USA Booster Pump	33
EvoLV Parts Diagram	34
Multi-Colour Lights Operating Manual	35
Controller Compatibility for Aqua-Quip Multi-Colour Lights	36
Light Program Identification	37

Additional Information

Downloads Links for Brochures and Manuals	38
Terms & Conditions	39



JET-VAC Automatic Pool Cleaner

- The fastest cleaner available – with the biggest throat!
- Cleans average pool in under 2 hours
- Replaces all other pressure pool cleaners
- Fewer moving parts, greater reliability

Jet-Vac is the simplest, quickest and easiest way to clean a pool. The huge 115mm throat picks up twigs, large leaves, dirt, even golf balls and goggles! Large capacity bag compacts up to 3.5 litres of rubbish. Unlike other pool cleaners that struggle to get traction on tiled and glass bead pool interiors, Jet-Vac handles these slippery surfaces with ease.

The internal reversing mechanism moves Jet-Vac from tight spots, enhancing pool coverage and enabling it to navigate out of corners. Jet-Vac lives in the pool keeping the pool clean all year round and does not need to be continually removed, stored away and re-deployed.



Code	Part #	Description
LJV 101	JV105AU	Jet-Vac Head and Hose Set BLUE
LJV 104	JV109AU	Jet-Vac Head Only BLUE
LJV 105	JV209AU	Jet-Vac Hose Set Complete BLUE
LJV 108	JV300AU	Jet-Vac Platinum Package BLUE (Includes Jet-Vac Head and Hose, Booster Pump and Flow Control Timer)
LJV 101G	JV105AUG	Jet-Vac Head And Hose Set GREY
LJV 104G	JV109AUG	Jet-Vac Head Only GREY
LJV 105G	JV209AUG	Jet-Vac Hose Set Complete GREY
LJV 108G	JV300AUG	Jet-Vac Platinum Package GREY (Includes Jet-Vac Head and Hose, Booster Pump and Flow Control Timer)



Available in Sapphire Blue and Graphite Grey.



BOOSTER Pumps

Compact and simple to install, the Aqua-Quip Booster Pump operates quietly and is the perfect partner for the Jet-Vac Automatic Pool Cleaner.

Robust and reliable design ensures a long life with minimal maintenance. It also operates all other pressure driven pool cleaners. Available with flexible plumbing connections or with PVC Barrel Unions.

Pump is installed after the filter and draws water from the pool return line. The booster pump must only operate whilst the pool pump is running.

Spare Parts – see page 37.



Code	Description
LJV 301	USA Booster Pump with Flexi Plumbing Kit
LJV 103	USA Booster Pump with PVC Plumbing Kit

FLOW CONTROL Pro Plus Timer

The Aqua-Quip Flow Control Pro Plus Timer eliminates the possibility of the booster pump running dry of water as a result of incorrect synchronisation with the pool pump.

Reduces wear and tear on the pool cleaner and saves expensive pump repairs. Saves power consumption by limiting the operating hours of the booster pump.

The Aqua-Quip Flow Control Pro Plus Timer with its integrated flow switch is significantly more reliable and much simpler than installing two separate time clocks.

New setting allows the user to set run times to synchronise with variable speed pumps. Aqua-Quip's 2 year warranty provides the user ultimate peace of mind.

Code	Description
DCC 240	Flow Control Pro Plus Timer with 40mm Faucet Tee (including Flow Switch)
DCC 250	Flow Control Pro Plus Timer with 50mm Faucet Tee (including Flow Switch)
DCC 231	Flow Switch Only

New design with larger backlit display.



DCC 231 is supplied with a 2.4m cable.



SUCTIONS, EYEBALLS & TWISTER

Safety Suctions

Code	Description
RSC 40X	Suction Cover, Concrete, 40mm
RSC 50X	Suction Cover, Concrete, 50mm
RSF 40X	Suction Cover, Fibreglass, 40mm
RSF 50X	Suction Cover, Fibreglass, 50mm

**Replace the letter X above for W=White, G=Grey, B=Black.
Safety suction covers are AS 1926.3 - 2010 compliant.**



Return Eyeballs

Code	Description
REC 40X	Eyeball, Concrete, 40mm
REC 50X	Eyeball, Concrete, 50mm
REF 40X	Eyeball, Fibreglass, 40mm
REF 50X	Eyeball, Fibreglass, 50mm

Replace the letter X above for W=White, G=Grey, B=Black.



Spa Jets

Code	Description
RSJ 010	Spa Jet - Concrete
RSJ 031	Spa Jet - Fibreglass, including Eyeball, Grey
RSJ 032	Spa Jet - Fibreglass, including Eyeball, White



Bubbler Returns

Code	Description
RSJ 020	Bubbler Return, 40mm, Grey
RSJ 021	Bubbler Return, 40mm, White
RSJ 022	Bubbler Return, 40mm, Black



Air Injectors

Code	Description
RSJ 015	Adjustable Air Injector, 25mm, Grey
RSJ 016	Adjustable Air Injector, 25mm, White



Twister

Code	Description
TWI 001	Twister - Power Steering Device

Twister continually rotates the direction of the hose – effectively steering your suction pool cleaner out of awkward corners to ensure a constantly random and thorough cleaning pattern, without getting stuck in corners.



AQUEA PRODUCTS - Build a better pool

AQUEA provides superior products to the pool and landscaping industries. AQUEA develop innovative solutions that deliver superb results and make installation and service easier for industry professionals. The range of award winning products is designed in Australia to suit the Australian market and conditions.

AQUEA V-Lock Skimmer Lids - V Series

Code	Description
AML 201	Aquea V10 V-Lock Lid Kit
AML 203	Aquea V15 V-Lock Lid Kit
AML 205	Aquea V20 V-Lock Lid Kit
AML 207	Aquea V30 V-Lock Lid Kit
AML 209	Aquea V40 V-Lock Lid Kit – V Series
AML 414	Aquea V-Lock Lid Key

AQUEA V-Lock Skimmer Lids - S Series

Code	Description
AMS 220	Aquea V10 V-Lock Lid Kit
AMS 230	Aquea V15 V-Lock Lid Kit

AQUEA V-Lock Skimmer Lids - VS Series Combo Kits

Code	Description
AMV 220	Aquea VS20 V-Lock Lid Kit – VS Combo Series
AMV 230	Aquea VS30 V-Lock Lid Kit – VS Combo Series

AQUEA Bubbler+

Code	Description
AMD 250	Aquea Bubbler+ 18 Port Complete Kit – White
AMD 253	Aquea Bubbler+ 18 Port Complete Kit – Grey
AMD 254	Aquea Bubbler+ 18 Port Complete Kit – Black
AMD 403	Aquea Bubbler+ Nozzle (18 pack) – White
AMD 403A	Aquea Bubbler+ Nozzle Only – White
AMD 404	Aquea Bubbler+ Nozzle (18 pack) – Grey
AMD 404A	Aquea Bubbler+ Nozzle Only - Grey
AMD 405	Aquea Bubbler+ Nozzle (18 pack) – Black
AMD 405A	Aquea Bubbler+ Nozzle Only - Black

AQUEA Drains

Code	Description
AMD 202	Aquea Main Drain – Complete – White
AMD 216	Aquea Main Drain – Complete – Grey
AMD 208	Aquea Main Drain Retro-Fit Lid Kit – White
AMD 215	Aquea Main Drain Retro-Fit Lid Kit – Grey
AMD 207	Aquea 50mm Hydrostatic Valve – 2" BSP
AMD 433	Aquea Main Drain – Lid Key



V-LOCK's unique locking system provides superior safety for pool owners, and simplifies Australian standards compliance for pool builders. The flush-fitting lid is easy to install and blends into the pool surrounds for a flawless finish every time.

S-SERIES lids are perfect for concealed access in smaller applications, such as providing a safe and lockable solution for Fibreglass Pool Stand Pipes.




The modular design gives you the freedom to create the perfect layout for your pool or spa. Use it in seats, foot wells, benches, steps, beach entries, pool windows – the possibilities are endless.



The AQUEA Main Drain is the complete and superior solution for your next pool project. Easy to install and service, the flush-fitting lid integrates into the surrounding pool interior for a flawless finish every time.

Our retro-fit lid kit is also available separately for pool upgrades and renovations, and suits many popular main drain fittings.

WORLD CLASS LED POOL LIGHTING



EvoLV
Compact Pipe Light



EvoFG
Fibreglass Niche Light



Evo2
Concrete Niche Light




QC Series
Surface Mounted Light



EvoMAX
Concrete Niche Light

Waterproof Plug Kit

2-Channel remote provides independant control of two zones. Control equipment such as pool lights, garden lights, water features and auxiliary pumps. Maximum combined load is 2400watts (10amps).



Transformers

Code	Description
APL 511N	Single Output (1x 12 Volt, 30VA) Plug In – Runs one light
APL 512N	Dual Output (2x 12 Volt, 30VA) Plug In – Runs up to two lights
APL 514N	Quad Output (4x 12 Volt, 30VA) Plug In – Runs up to four lights
APL 530	Connector Plug
APL 532	4 Amp Mini Blade Fuse

Aqua-Quip’s extra low voltage Transformers have either 1, 2 or 4 x 12v secondary outputs.



LIGHTING CONTROLS

InstaTouch WiFi Controller

Code	Description
INS 300	InstaTouch WiFi Controller

NEW – InstaTouch Wi-Fi Controller enables pool and spa lights to be operated from a smartphone app. The user can set operating times for two lighting zones and select and change colours and lighting shows from their phone.

- Independent control of two lighting zones.
- Set schedules to provide automatic run times.
- Simple installation and set-up.



InstaTouch Controller

Code	Description
INS 100	InstaTouch Smart Lighting Controller with Remote
INS 102	InstaTouch Remote handset only

Provides independent control of pool and spa lighting. Choose from 7 fixed colours and 5 energetic colour shows – or choose your own favourite colour.

- 70m line-of-sight range.
- Adjustable brightness control.
- Water resistant handset.
- Instant colour control.
- 2400watts (10amps) Maximum combined load.

Operates Aqua-Quip “InstaTouch Programmed” lights manufactured after November 2018. Compatible with timeclocks and WiFi switches.



Dual Zone Remote Controller


Code	Description
INS 200	Dual Zone Remote Control System including handset
INS 202	Dual Zone Remote handset only

2-Channel remote provides independent control of two zones. Control equipment such as pool lights, garden lights, water features and auxiliary pumps. Maximum combined load is 2400watts (10amps).



Evo2 Concrete LED Niche Pool Light

A modern and elegant niche lighting system resulting in the “flushest” pool light available. Image shows the Evo2 light fitted with optional stainless steel trim ring.



Specifications	
Suitable for	New Concrete Pools, Spas, Water Features, Catch Tanks
Stainless Steel Option	Yes, P/N: ASS056
Fascia Colour Options*	White (standard), Grey, Black
Cable Lengths & Gauge	20m, 30m, 40m (0.75mm ²), 50m (1.5mm ²) Custom lengths available
Detachable Cable	Yes, Plug Kit is factory fitted to cable and is field re-wirable
Operating Voltage	12v AC Rating IPX8 IES Data Available upon request
Fault Protection	Thermal & Overcurrent
Certification	AS/NZS 60598.2.18:2025, CE

*Add a 'G' or 'B' to order code if requiring a grey or black fascia.

	Multi-Colour	Blue	White	Warm White
Power Consumption	20 VA Max	11 VA	6 VA	6 VA
Light Colour	Program Dependant	470 nm	6500K	2850K
Light Output (typical)	Up to 450 lm	180 lm	550 lm	550 lm

Fixed Colour - White or Blue

*Warm White also available POA.

Light + Cable with mounting hardware (no transformer)

Blue	White	Length
ASN 001	ASN 002	20m
ASN 031	ASN 032	30m
ASN 041	ASN 042	40m

Builder's Pack with 20m cables with transformer & mounting hardware

Blue	White	Pack
ASN 411	ASN 421	1 Pack
ASN 412	ASN 422	2 Pack
ASN 413	ASN 423	3 Pack
ASN 414	ASN 424	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Blue	White	Pack
ASN 811	ASN 821	1 Pack
ASN 812	ASN 822	2 Pack
ASN 813	ASN 823	3 Pack
ASN 814	ASN 824	4 Pack

Multi - Colour Pro Series RGB+W

Light + Cable with mounting hardware (no transformer)

Code	Length
ASN 004TX	20m
ASN 034TX	30m
ASN 044TX	40m

Builder's Pack with 20m cables with transformer & mounting hardware

Code	Pack
ASN 431TX	1 Pack
ASN 432TX	2 Pack
ASN 433TX	3 Pack
ASN 434TX	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Code	Pack
ASN 831TX	1 Pack
ASN 832TX	2 Pack
ASN 833TX	3 Pack
ASN 834TX	4 Pack


 Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.

 PRO Series RGB+W allows multi-colour operation with true Cool White included.

 MultiColour Lights Dimmable via **InstaTouch**

EVOMAX Concrete LED Niche Pool Light

Aqua-Quip's premium niche lighting system, providing maximum illumination whilst preserving a flush profile.



Specifications

Suitable for	New Concrete Pools, Spas, Water Features, Catch Tanks		
Stainless Steel Option	Yes, P/N: MXA056		
Cable Lengths & Gauge	20m, 30m, 40m (0.75mm ²), 50m (1.5mm ²) Custom lengths available		
Detachable Cable	Yes, Plug Kit is factory fitted to cable and is field re-wirable		
Operating Voltage	12v AC	Rating IPX8	
IES Data	Available upon request		
Fault Protection	Thermal & Overcurrent		
Certification	AS/NZS 60598.2.18:2025, UL676		



Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.



PRO Series RGB+W allows multi-colour operation with true Cool White included.



MultiColour Lights
Dimmable via

InstaTouch

	Multi-Colour	Blue	White	Warm White
Power Consumption	25 VA Max	16 VA	11 VA	11 VA
Light Colour	Program Dependant	470 nm	6500K	2850K
Light Output (typical)	Up to 795 lm	300 lm	985 lm	985 lm

Fixed Colour - White or Blue *Warm White also available POA.

Light + Cable with mounting hardware (no transformer)

Blue	White	Length
MXA 001	MXA 002	20m
MXA 031	MXA 032	30m
MXA 041	MXA 042	40m

Builder's Pack with 20m cables with transformer & mounting hardware

Blue	White	Pack
MXA 411	MXA 421	1 Pack
MXA 412	MXA 422	2 Pack
MXA 413	MXA 423	3 Pack
MXA 414	MXA 424	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Blue	White	Pack
MXA 511	MXA 521	1 Pack
MXA 512	MXA 522	2 Pack
MXA 513	MXA 523	3 Pack
MXA 514	MXA 524	4 Pack

Multi - Colour Pro Series RGB+W

Light + Cable with mounting hardware (no transformer)

Code	Length
MXA 004TX	20m
MXA 034TX	30m
MXA 044TX	40m

Builder's Pack with 20m cables with transformer & mounting hardware


Code	Pack
MXA 431TX	1 Pack
MXA 432TX	2 Pack
MXA 433TX	3 Pack
MXA 434TX	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Code	Pack
MXA 531TX	1 Pack
MXA 532TX	2 Pack
MXA 533TX	3 Pack
MXA 534TX	4 Pack

EVOCR Renovators LED Niche Pool Light

EvoCR Series LED Light Kit is ideal for concrete pool renovators. The housing is supplied with a rear-exit 20mm conduit socket. The housing has a diameter of 75mm and is inserted and sealed into a hole that is core-drilled through the pool wall. The press-fit adaptor plate allows for angular and depth adjustment and simply glues into the housing after the pool interior surface has been applied. Inside rear of housing has an accessible cable seal kit, preventing water entry into conduit. The low profile EvoFG LED Light is then connected to the waterproof plug kit on the cable and screwed onto the adaptor plate.



Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.



PRO Series RGB+W allows multi-colour operation with true Cool White included.



MultiColour Lights Dimmable via

InstaTouch

Fixed Colour - White or Blue *Warm White also available POA.

Light + Cable with mounting hardware (no transformer)

Blue	White	Length
ECR 001	ECR 002	20m
ECR 031	ECR 032	30m
ECR 041	ECR 042	40m

Builder's Pack with 20m cables with transformer & mounting hardware

Blue	White	Pack
ECR 411	ECR 421	1 Pack
ECR 412	ECR 422	2 Pack
ECR 413	ECR 423	3 Pack
ECR 414	ECR 424	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Blue	White	Pack
ECR 511	ECR 521	1 Pack
ECR 512	ECR 522	2 Pack
ECR 513	ECR 523	3 Pack
ECR 514	ECR 524	4 Pack

Multi - Colour Pro Series RGB+W

Light + Cable with mounting hardware (no transformer)

Code	Length
ECR 004TX	20m
ECR 034TX	30m
ECR 044TX	40m

Builder's Pack with 20m cables with transformer & mounting hardware


Code	Pack
ECR 431TX	1 Pack
ECR 432TX	2 Pack
ECR 433TX	3 Pack
ECR 434TX	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Code	Pack
ECR 531TX	1 Pack
ECR 532TX	2 Pack
ECR 533TX	3 Pack
ECR 534TX	4 Pack

EVOFG Fibreglass LED Niche Pool Light

Evo FG Flush Mounted Lights – suit all fibreglass and above-ground vinyl pools. Simple to install and fit through a 60mm hole. NEW – reduced niche length, with integrated 90 degree conduit connection, includes accessible internal cable seal.



Specifications	
Suitable for	New Fibreglass and A/G Vinyl Pools
Cable Lengths & Gauge	20m, 30m, 40m (0.75mm ²), 50m (1.5mm ²) Custom lengths available
Detachable Cable	Yes, Plug Kit is factory fitted to cable and is field re-wirable
Operating Voltage	12v AC Rating IPX8
IES Data	Available upon request
Fault Protection	Thermal & Overcurrent
Certification	AS/NZS 60598.2.18:2025, CE, UL676



Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.



PRO Series RGB+W allows multi-colour operation with true Cool White included.



MultiColour Lights Dimmable via InstaTouch

	Multi-Colour	Blue	White	Warm White
Power Consumption	20 VA Max	6 VA	6 VA	6 VA
Light Colour	Program Dependant	470 nm	6500K	2850K
Light Output (typical)	Up to 450 lm	180 lm	550 lm	550 lm

Fixed Colour - White or Blue *Warm White also available POA.

Light + Cable with mounting hardware (no transformer)

Blue	White	Length
ASG 9001	ASG 9002	20m
ASG 9021	ASG 9022	30m

Builder's Pack with 20m cables with transformer & mounting hardware

Blue	White	Pack
ASG 9031	ASG 9041	1 Pack
ASG 9032	ASG 9042	2 Pack
ASG 9033	ASG 9042	3 Pack
ASG 9034	ASG 9044	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Blue	White	Pack
ASG 9511	ASG 9521	1 Pack
ASG 9512	ASG 9522	2 Pack
ASG 9513	ASG 9523	3 Pack
ASG 9514	ASG 9524	4 Pack

Multi - Colour Pro Series RGB+W

Light + Cable with mounting hardware (no transformer)

Code	Length
ASG 9004TX	20m
ASG 9024TX	30m

Builder's Pack with 20m cables with transformer & mounting hardware

Code	Pack
ASG 9001TX	1 Pack
ASG 9012TX	2 Pack
ASG 9013TX	3 Pack
ASG 9014TX	4 Pack

Builder's Pack with 30m cables with transformer & mounting hardware

Code	Pack
ASG 9071TX	1 Pack
ASG 9072TX	2 Pack
ASG 9073TX	3 Pack
ASG 9074TX	4 Pack

QC RETRO-FIT Identification Chart

Aqua-Quip QC Retro-Fit lights replace the following brands of Surface Mounted Lights:



Stroud C150
Diameter 210mm



Poolrite
Diameter 232mm



Varimode
Diameter 211mm



Waterco
Diameter 220mm



Waterco Bristream MKIV
Diameter 220mm



Waterco Bristream MKV
Diameter 240mm



Swimworld
Diameter 250mm



Stroud SM400
Diameter 250mm*



Filtrite
Diameter 250mm*



Sunline/Rivendale
Diameter 230mm



Spa Electrics SE3M
Diameter 235mm



PAL RCS
Diameter 220mm



Spa Electrics
Diameter 200mm



Autumn Solar Slim 180
Diameter 220mm



Emaux E-Lumen
Diameter 261mm



Magic Pool Products
Diameter 236mm



Aqua-Quip Halogen
Diameter 230mm



Zodiac Lumipower SM
Diameter 196mm

*When purchasing QC Retro-Fit Lights to replace either Filtrite or Stroud SM400 Retro-Fit Lights, you will need to purchase the additional P/N: APL 075 Locating Bar Assembly. (see image on Page 30 and pricing on Page 31). Aqua-Quip QC Retro-Fit Lights are suitable for concrete pools only, and cannot be connected to DC power supplies or Electronic Transformers. Unsure of whether a QC will replace your existing light? Send photos of the front and rear of the light, and the mounting bracket on the pool wall to aqua@aquaquip.com.au.

QC SERIES Concrete Surface-Mounted Pool Light

Aqua-Quip's QC Series Surface Mounted light is the ideal choice for new pools and retro-fitting older style lights.

Stylish art-deco construction with robust mounting hardware makes QC ideal for all surface-mounted applications. Featuring the industry's best Plug Kit, enabling simple installation for both new pool construction and when used to replace other brands. Variable-voltage technology allows operation from voltages ranging from 12V AC – 32V AC.


Specifications	
Suitable for	New and existing Concrete Pools
Fascia Colour Options	White (standard), Metallic Grey (add a 'G' to order code if requiring a grey fascia)
Cable Lengths & Gauge	20m, 30m, 0.75mm ² , 2 Core
Detachable Cable	Yes, Plug Kit is factory fitted to supply cable
Operating Voltage	12v AC ~ 32v AC Rating IPX8 IES Data Available upon request
Fault Protection	Thermal & Overcurrent
Certification	AS/NZS 60598.2.18:2025, CE
Add a "G" to order code if requiring a grey fascia.	For Retro-Fit QC Lights: No cable supplied. The included Plug Kit is to be connected to the existing cable.

Standard QC Series	Multi-Colour	Blue	White	Warm White
Power Consumption	30 VA Max	25 VA	25 VA	25 VA
Light Colour	Program Dependant	470 nm	>5000K	3000K
Light Output (typical)	Up to 590 lm	300 lm	1050 lm	1050 lm

QC Quattro Series	White	Blue	Aqua	Green
Power Consumption	12 VA	12 VA	20 VA	12 VA
Light Colour	6500K	470 nm	490 nm	530 nm
Light Output (typical)	540 lm	135 lm	530 lm	400 lm

Retro Fit Light + Universal Mounting Bracket & Plug Kit - Concrete (no transformer)	
Code	Description
LED 011	QC Blue Retro-Fit LED Light
LED 012	QC White Retro-Fit LED Light
LED 016	QC Warm White Retro-Fit LED Light
LED 014T	QC Multi-Colour Retro-Fit LED Light
LED 014Q	QC Quattro Quad Colour Retro-Fit LED Light

Light + Cable - Concrete with mounting hardware (no transformer)			
Code	Description (with 20m Cables)	Code	Description (with 30m Cables)
LED 001	QC Blue LED Light – 20m	LED 031	QC Blue LED Light – 30m
LED 002	QC White LED Light – 20m	LED 032	QC White LED Light – 30m
LED 006	QC Warm White LED Light – 20m	LED 036	QC Warm White LED Light – 30m
LED 004T	QC Multi-Colour LED Light – 20m	LED 034T	QC Multi-Colour LED Light – 30m
LED 004Q	QC Quattro Quad-Colour LED Light – 20m	LED 034Q	QC Quattro Quad-Colour LED Light – 30m



QC Retro-Fit LED Lights are supplied with the unique waterproof Quick Connect Plug Kit and a universal mounting bracket – allowing replacement of all other brands of surface mounted lights in concrete pools.

See identification chart on page 14.

 Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.

 MultiColour Lights Dimmable via **InstaTouch**




Quattro Quad-Colour option is now available in all QC lighting fixtures. Quattro provides bright and vivid colours of White, Blue, Aqua & Green. Simply switch off/on to move between these colours.

EVOLV Compact Pipe Light featuring 50mm Pipe

New to the range of Aqua-Quip lights, featuring the same market-leading technology, the **EvoLV Compact Pipe Light** is the ideal choice for both new pool construction and for renovations.

Available in mid-power models for illuminating intricate areas such as steps, benches, swim-outs and shallow water areas, as well as high-power models for larger pool areas.



Specifications for 50mm Pipe Installation

Suitable for	Renovations & New Concrete Pools, Spas, Water Features, Catch Tanks		
Press Fit Adaptors	White supplied. Grey and Black optional		
Pipe Length	270mm (minimum), 310mm (maximum) – see page 32		
Pipe Details	Use 50mm Rigid PVC Pipe, Class 9 or 12		
Cable Lengths & Gauge	20m, 30m. Gauge = 0.5mm ² , Custom lengths available		
Detachable Cable	Yes, Plug Kit is factory fitted to cable and is field re-wirable		
Operating Voltage	12v AC	Rating IPX8	IES Data Available upon request
Fault Protection	Thermal & Overcurrent		
Certification	AS/NZS 60598.2.18:2025, CE, UL676		

	Multi-Colour	Blue	White	Warm White
Power Consumption	12 VA	6 VA	6 VA	6 VA
Light Colour	Program Dependant	470 nm	6500K	2850K
Light Output (typical)	Up to 450 lm	75 lm	340 lm	340 lm



Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.



PRO Series RGB+W allows multi-colour operation with true Cool White included.




MultiColour Lights Dimmable via

InstaTouch



Renovation using 50mm PVC Pipe Supplied with Light, Cable, Press-Fit Adaptor and End Cap (no transformer)


Code	Description
EPL 101M	EvoLV Blue 20m LED Light & Pipe Kit
EPL 102M	EvoLV White 20m LED Light & Pipe Kit
EPL 103M	EvoLV Warm White 20m LED Light & Pipe Kit
EPL 131M	EvoLV Blue 30m LED Light & Pipe Kit
EPL 132M	EvoLV White 30m LED Light & Pipe Kit
EPL 133M	EvoLV Warm White 30m LED Light & Pipe Kit
EPL 104H	EvoLV Pro RGB+W, 20m LED Light & Pipe Kit
EPL 134H	EvoLV Pro RGB+W, 30m LED Light & Pipe Kit
EPL 434	Spanner for Cable Seal



EVOLV Compact Pipe Light featuring Wet Niche

New to the range of Aqua-Quip lights, featuring the same market-leading technology, the **EvoLV Compact Pipe Light** is the ideal choice for both new pool construction and for renovations.

Available in mid-power models for illuminating intricate areas such as steps, benches, swim-outs and shallow water areas, as well as high-power models for larger pool areas.



Specifications for Wet Niche Installation				
Suitable for	New Concrete Pools, Spas, Water Features, Catch Tanks			
Fascia Colour Options	White and Clear supplied. Grey and Black optional			
Cable Lengths & Gauge	20m, 30m. Gauge = 0.5mm², Custom lengths available			
Niche Details	Diameter: 75mm, Length: 250mm, reducible to 210mm			
Detachable Cable	Yes, Plug Kit is factory fitted to supply cable and is field re-wirable			
Operating Voltage	12v AC	Rating	IPX8	IES Data Available upon request
Fault Protection	Thermal & Overcurrent			
Certification	AS/NZS 60598.2.18:2025, CE, UL676			



Colours and shows can be controlled by the InstaTouch Smart Lighting Controller or with popular third-party controllers.




PRO Series RGB+W allows multi-colour operation with true Cool White included.



MultiColour Lights Dimmable via **InstaTouch**




	Multi-Colour	Blue	White	Warm White
Power Consumption	12 VA	6 VA	6 VA	6 VA
Light Colour	Program Dependant	470 nm	6500K	2850K
Light Output (typical)	Up to 450 lm	75 lm	340 lm	340 lm



New pool construction Supplied with Light, Niche, Cable and Render Ring (no transformer)


Code	Description
EPL 001M	EvoLV Blue 20m LED Light & Niche Kit
EPL 002M	EvoLV White 20m LED Light & Niche Kit
EPL 003M	EvoLV Warm White 20m LED Light & Niche Kit
EPL 031M	EvoLV Blue 30m LED Light & Niche Kit
EPL 032M	EvoLV White 30m LED Light & Niche Kit
EPL 033M	EvoLV Warm White 30m LED Light & Niche Kit
EPL 034H	EvoLV PRO RGB+W, 20m LED Light & Niche Kit
EPL 134H	EvoLV PRO RGB+W, 30m LED Light & Niche Kit



Pal Evenglow Concrete Retro *Replace with EvoMAX*

Code	Description
ASR 461	BLUE LED – PAL Evenglow Retro – Concrete
ASR 462	WHITE LED – PAL Evenglow Retro – Concrete
ASR 464TX	PRO RGB+W LED – PAL Evenglow Retro – Concrete

Note: Requires transformer/controller box replacement with a 12v AC transformer.



Waterco Britestream Concrete Retro *Replace with EvoMAX*


Code	Description
ASR 421	BLUE LED – Waterco/Britestream Retro – Concrete
ASR 422	WHITE LED – Waterco/Britestream Retro – Concrete
ASR 424TX	PRO RGB+W LED – Waterco/Britestream Retro – Concrete



Astral SLX, Delta, ARC & zodiac Lumipower Retro *Replace with EvoMAX*


Code	Description
ASR 441	BLUE LED – Astral SLX, Delta, ARC, Lumipower – Concrete
ASR 442	WHITE LED – Astral SLX, Delta, ARC, Lumipower – Concrete
ASR 444TX	PRO RGB+W LED – Astral SLX, Delta, ARC, Lumipower – Concrete

Note: Delta & ARC: requires transformer/controller box replacement with a 12v AC transformer.



Spa Electrics WN (Quantum) Series – Concrete & Fibreglass Retro *Replace with EvoMAX*

Code	Description
ASR 411	BLUE LED – Spa Electrics WN (QUANTUM) Retro (Concrete and Fibreglass)
ASR 412	WHITE LED – Spa Electrics WN (QUANTUM) Retro (Concrete and Fibreglass)
ASR 414TX	PRO RGB+W LED - SPA ELECTRICS WN (QUANTUM) Retro (Concrete and Fibreglass)



Spa Electrics WN150 – Concrete Retro *Replace with EvoMAX*

Code	Description
ASR 451	BLUE LED – Spa Electrics WN150 Retro – Concrete
ASR 452	WHITE LED – Spa Electrics WN150 Retro – Concrete
ASR 454TX	PRO RGB+W LED – Spa Electrics WN150 Retro – Concrete



Poolstore – Concrete Retro *Replace with Evo2*


Code	Description
ASN 511	BLUE LED – Poolstore Retro Concrete
ASN 512	WHITE LED – Poolstore Retro Concrete
ASN 514TX	PRO RGB+W LED – Poolstore Retro Concrete



Lumascap – Concrete Retro – Two Screw Mount

Replace with Evo2

Code	Description
ASN 501	BLUE LED – Lumascap Retro Concrete (2 Screw Mount)
ASN 502	WHITE LED – Lumascap Retro Concrete (2 Screw Mount)
ASN 504TX	PRO RGB+W LED – Lumascap Retro Concrete (2 Screw Mount)



Note: This retro suits Lumascap lights that are mounted using two screws, and utilises the existing stainless steel cover. If the existing Lumascap light is mounted using one screw, then refer to page 20 for alternative codes.

Aqua-Star Halogen – Concrete Retro

Replace with EvoMAX or Evo2

Code	Description
ASR 431	BLUE LED – Aqua-Star Retro Concrete – using EvoMAX
ASR 432	WHITE LED – Aqua-Star Retro Concrete – using EvoMAX
ASR 434TX	PRO RGB+W LED – Aqua-Star Retro Concrete – using EvoMAX
ASN 101	BLUE LED – Aqua-Star Retro Concrete – using Evo2
ASN 102	WHITE LED – Aqua-Star Retro Concrete – using Evo2
ASN 104TX	PRO RGB+W LED – Aqua-Star Retro Concrete – using Evo2




Aqua-Star Halogen – Fibreglass Retro *Replace with Evo2*

Code	Description
ASN 221	BLUE LED – Aqua-Star Retro – Fibreglass
ASN 222	WHITE LED – Aqua-Star Retro – Fibreglass
ASN 224TX	PRO RGB+W LED – Aqua-Star Retro – Fibreglass



Astral FLX – Fibreglass Retro *Replace with EvoFG*


Code	Description
ASR 281	BLUE LED – Astral FLX Fibreglass Retro
ASR 282	WHITE LED – Astral FLX Fibreglass Retro
ASR 284TX	PRO RGB+W LED - Astral FLX Fibreglass Retro



PAL 2000 & PAL Colour Touch – Concrete and Fibreglass Retro *Replace with EvoFG*

Code	Description
ASR 111	BLUE LED – PAL Retro – Concrete
ASR 112	WHITE LED – PAL Retro – Concrete
ASR 114TX	PRO RGB+W LED – PAL Retro – Concrete
ASR 121	BLUE LED – PAL Retro – Fibreglass
ASR 122	WHITE LED – PAL Retro – Fibreglass
ASR 124TX	PRO RGB+W LED – PAL Retro – Fibreglass


Note: Colour Touch requires transformer/controller box replacement with a 12v AC transformer.



Lumascape – Concrete Retro – One Screw Mount *Replace with EvoFG*

Code	Description
ASR 136	BLUE LED – Lumascape Retro Concrete (1 Screw Mount)
ASR 137	WHITE LED – Lumascape Retro Concrete (1 Screw Mount)
ASR 139X	PRO RGB+W LED – Lumascape Retro Concrete (1 Screw Mount)

Note: This retro suits Lumascape lights that are mounted using one screw only. If the existing Lumascape light is mounted using two screws, then refer to page 19 for alternative codes.



Spa Electrics EM (ATOM) Series – Concrete and Fibreglass Retro *Replace with EvoFG*

Code	Description
ASR 131	BLUE LED – Spa Electrics EM Retro – Concrete
ASR 132	WHITE LED – Spa Electrics EM Retro – Concrete
ASR 134TX	PRO RGB+W LED – Spa Electrics EM Retro – Concrete
ASR 141	BLUE LED – Spa Electrics EM Retro – Fibreglass
ASR 142	WHITE LED – Spa Electrics EM Retro – Fibreglass
ASR 144TX	PRO RGB+W LED – Spa Electrics EM Retro – Fibreglass



RETRO-FIT

Each Retro-Fit light is supplied with a Plug Kit for connection using existing cables, and with mounting hardware where appropriate. If the new Aqua-Quip retro-fit light is to be operated from an existing pool lighting controller, specify the controller type when ordering (refer to page 34). When re-using an existing transformer, ensure it has 12Vac output and at least 25VA power rating.

Waterco Slim 90 – Fibreglass *Replace with EvoFG*


Code	Description
ASR 161	BLUE LED – Waterco/Slim90 Retro – Fibreglass
ASR 162	WHITE LED – Waterco/Slim90 Retro – Fibreglass
ASR 164TX	PRO RGB+W LED – Waterco/Slim90 Retro – Fibreglass



Waterco Slim 165 – Fibreglass *Replace with EvoFG*

Code	Description
ASR 291	BLUE LED – Waterco/Slim165 Retro – Fibreglass
ASR 292	WHITE LED – Waterco/Slim165 Retro – Fibreglass
ASR 294TX	PRO RGB+W LED – Waterco/Slim165 Retro – Fibreglass


Note: EvoFG light does not fully cover the existing flange in pool wall.



Pal Evenglow – Fibreglass Retro *Replace with EvoFG*

Code	Description
ASR 321	BLUE LED – Pal Evenglow Retro – Fibreglass
ASR 322	WHITE LED – Pal Evenglow Retro – Fibreglass
ASR 324TX	PRO RGB+W LED – Pal Evenglow Retro – Fibreglass

Note: Colour Touch requires transformer/controller box replacement with a 12v AC transformer.



Aqua De-Light – Concrete or Fibreglass *Replace with EvoFG*

Code	Description
ASR 151	BLUE LED – Aqua De-Light Retro – Concrete/Fibreglass
ASR 152	WHITE LED – Aqua De-Light Retro – Concrete/Fibreglass
ASR 154TX	PRO RGB+W LED – Aqua De-Light Retro – Concrete/Fibreglass

Note: For concrete pools, the existing gimbal must be removed prior to installation. Contact Aqua-Quip for more information.



Autumn Solar – Concrete *Replace with EvoFG*

Code	Description
ASR 171	BLUE LED – Autumn Solar (Large & Small) Retro – Concrete
ASR 172	WHITE LED – Autumn Solar (Large & Small) Retro – Concrete
ASR 174TX	PRO RGB+W LED – Autumn Solar (Large & Small) Retro – Concrete

Note: If controlled from an Autumn Solar Lighting Controller, replace with a 12v AC transformer.



Hunza – Concrete *Replace with EvoFG*

Code	Description
ASR 221	BLUE LED – Hunza Retro – Concrete
ASR 222	WHITE LED – Hunza Retro – Concrete
ASR 224TX	PRO RGB+W LED – Hunza Retro – Concrete



H&F lighting – Concrete *Replace with EvoFG*

Code	Description
ASR 261	BLUE LED – H&F Lighting Retro – Concrete
ASR 262	WHITE LED – H&F Lighting Retro – Concrete
ASR 264TX	PRO RGB+W LED – H&F Lighting Retro – Concrete




Astral Mini Dichro – Concrete *Replace with EvoFG*

Code	Description
ASR 211	BLUE LED – Astral Mini-Dichro Retro – Concrete
ASR 212	WHITE LED – Astral Mini-Dichro Retro – Concrete
ASR 214TX	PRO RGB+W LED – Astral Mini-Dichro Retro – Concrete



Astral CalidoRay – Concrete or Fibreglass *Replace with EvoFG*

Code	Description
ASR 191	BLUE LED – Astral CalidoRay Retro – Concrete
ASR 192	WHITE LED – Astral CalidoRay Retro – Concrete
ASR 194TX	PRO RGB+W LED – Astral CalidoRay Retro – Concrete
ASR 201	BLUE LED – Astral CalidoRay Retro – Fibreglass
ASR 202	WHITE LED – Astral CalidoRay Retro – Fibreglass
ASR 204TX	PRO RGB+W LED – Astral CalidoRay Retro – Fibreglass



Varimode – Concrete or Fibreglass *Replace with EvoFG*

Code	Description
ASR 181	BLUE LED – Varimode Retro – Concrete/Fibreglass
ASR 182	WHITE LED – Varimode Retro – Concrete/Fibreglass
ASR 184TX	PRO RGB+W LED – Varimode Retro – Concrete/Fibreglass



Sunline/Rivendale – Concrete or Fibreglass *Replace with EvoFG*

Code	Description
ASR 231	BLUE LED – Sunline Retro – Concrete or Fibreglass
ASR 232	WHITE LED – Sunline Retro – Concrete or Fibreglass
ASR 234TX	PRO RGB+W LED – Sunline Retro – Concrete or Fibreglass



Noria GIO – Concrete *Replace with EvoFG*

Code	Description
ASR 311	BLUE LED – Noria Glo Retro – Concrete
ASR 312	WHITE LED – Noria Glo Retro – Concrete
ASR 314TX	PRO RGB+W LED – Noria Glo Retro – Concrete



Zodiac Savi – Concrete *Replace with EvoFG*

Code	Description
ASR 271	BLUE LED – Zodiac Savi Retro – Concrete
ASR 272	WHITE LED – Zodiac Savi Retro – Concrete
ASR 274TX	PRO RGB+W LED – Zodiac Savi Retro – Concrete



Digilin – Concrete *Replace with EvoFG*

Code	Description
ASR 301	BLUE LED – Digilin Retro – Concrete
ASR 302	WHITE LED – Digilin Retro – Concrete
ASR 304TX	PRO RGB+W LED – Digilin Retro – Concrete




RETRO-FIT Spare Parts

USA Large Niche Lights (Purex etc) – Concrete

Replace with Vivid360

Code	Description
VLP 001	BLUE LED – Vivid 360 – Light Only (35VA)
VLP 002	WHITE LED – Vivid 360 – Light Only (35VA)
VLP 004T	MULTI-COLOUR LED – Vivid 360 – Light Only (35VA)
VLP 375	Vivid 360 Plug Kit (suits cable diameter up to 11.8mm)
VLP 010	15 metre Cable – 2mm ² – inc Plug Kit
VLP 011	30 metre Cable – 2mm ² – inc Plug Kit
VLP 070	Vivid 360 Retro-Fit Mounting Ring – A
VLP 072	Vivid 360 Retro-Fit Mounting Ring – B
APL 301	12v 100VA Transformer

Note: If existing Niche face ring & screw hole is damaged, then use the appropriate sized Mounting Ring.



If the pilot screw hole and mounting tab on the existing Niche are in good condition, then the Vivid 360 Pool Light will mount into position. Otherwise, use the appropriate sized Mounting Ring.


Mounting Ring A suits Niche diameters 225mm – 230mm
Mounting Ring B suits Niche diameters 230mm – 280mm



CAUTION: As the original niche light may have been supplied from mains voltage (240 volts), use an electrician to make the lighting system safe before attempting installation. Vivid 360 Pool Light operates from a 12v AC transformer, minimum 50VA.



Replace with
Vivid 360 Light




SPARE PARTS for Retro-Fit

Code	Description
ASG 300	Retro-Fit Eyeball Adaptor Plate (48mm – 52mm)
ASG 400	Retro-Fit Eyeball Adaptor Plate (51mm – 55mm)
ASN 110	Evo Series Extension Cable & Joining Kit 1mm ²
ASN 115	Evo Series Extension Cable & Joining Kit 1.5mm ²
ASN 118	Evo Series Extension Cable & Joining Kit 4mm ²
ASN 375	Plug Kit for Evo2/EvoMax Lights

Code	Description
ASR 375	Plug Kit for EvoFG/EvoCR/EvoLV Lights
ASL 077*	6" Niche Adaptor – Suits Spa Electrics and Waterco Niche
ASL 077A*	6" Niche Adaptor – Suits Astral / Zodiac Niche
ASL 077P*	6" Niche Adaptor – Suits PAL Evenglow Niche

***Note:** Glues into these Niches to allow fitment of EvoMax Pool Light.




Eyeball Adaptor Plate, slip fits into pipes, allowing fitment of EvoFG LED Light.

ASG 300

Fits Pipe I.D
48mm-52mm

ASG 400

Fits Pipe I.D
52mm-55mm




6" Niche Adaptor, slip fits into various Niches (whilst pool is at concrete stage) – allowing fitment of EvoMAX LED Light. Cable seals can be factory fitted to Aqua-Quip cables when ordering.



Extension Cable and Joining Kit, three sizes available to suit varying cable thicknesses. Standard length is 600mm. Custom lengths available.

SPARE PARTS for Jet-Vac Pool Cleaner




Item	Code	Part #	Description
A	LJV 068	JV23	Quick Disconnect Adaptor
B	LJV 065	JV24	Strainer Screen
C	LJV 069	JV20	O-Ring
F	LJV 045	JVD15P	Mender Nut
G	LLP 058	JV501	Starter Hose – White (0.6m)
H	LJV 046	JVD5	Swivel

Item	Code	Part #	Description
I	LJV 029	JV502	Feed Hose – Dark Blue (4.2m)
J	LJV 036	JV57	Float
K	LJV 030	JV503	Feed Hose – Light Blue (4.9m)
L	LJV 028	JV50	Disconnect Swivel
M	LJV 031	JV52	Sweep Hose Complete
N	LJV 090	JVW100	Universal Wall Fitting Complete


Jet-Vac Wheel Kit

Code	Part #	Description
LJV 050	JV207	1x JV21 Wheel, 2x LG35B Bearings 1x JV22 Wheel Hub



Jet-Vac Tune Up Kit

Code	Part #	Description
LJV 049	JV204	Tune Up Kit: 4x Jv7 Gears, 3x Jv6 Stainless Pins 1x Jv8 Propellor 1x JV9 Spacer



SPARE PARTS for Jet-Vac Pool Cleaner

Code	Part #	Description
LJV 002	JV2	Venturi Shell
LJV 055	JV2B	Deflector Plate Assy
LJV 001	JV3	Adaptor
LJV 003	JV4	Shell Float
LJV 054P	JV4B-P2	Float Cover Button Kit (2 Pack)
LJV 004	JV5	Bottom Plate
LJV 046	JVD5	Swivel
LJV 051P	JV6-P3	Pin (For Bottom Plate) (3 Pack)
LJV 005P	JV7-P4	Gear (4 Pack)
LJV 047	JVF7	O' Ring
LJV 006	JV8	Propellor
LJV 007	JV9	Spacer
LJV 060	JVG10	Screw
LJV 008	JV11	O'ring (Shell)
LJV 009	JV12	Roller Arm
LJV 010	JV13	Nose Wheel
LJV 011	JV14	Nose Wheel Hub
LJV 012	JV15	Stainless Steel Wheel
LJV 045P	JVD15P-P2	Mender Nut – Plastic (2 Pack)
LJV 063	JV16	S/Steel Wheel Hub
LJV 013	JV17	Pusher Jet Nozzle
LJV 014	JV18	O' Ring
LJV 015	JV19	Pusher Jet Nozzle Holder
LJV 069	JV20	O-Ring For Wall Fitting
LJV 016P	JV21-P2	Wheel (2 Pack)
LJV 017P	JV22-P2	Wheel Hub (2 Pack)
LJV 090	JVW100	Universal Wall Fitting Complete
LJV 068	JV23	Quick Disconnect Adaptor
LJV 065	JV24	Strainer Screen For Wall Fitting
LJV 056	JV28	Quick Disconnect 16mm
LJV 053	JV29	Gasket For Funnel Adaptor
LJV 018	JV30	Funnel Adaptor


Code	Part #	Description
LJV 019	JV31	Mesh Bag W/Lock Ring
LJV 020	JV32A	Fine Bag W/Lock Ring
LJV 048P	LG35B-P2	Bearing (2 Pack)
LJV 058	JV40	Screw
LJV 021	JV41	Screw
LJV 022	JV42	Nut
LJV 023	JV43	Screw
LJV 661	JV43S	Screw
LJV 024	JV44	Screw (Pusher Jet)
LJV 025	JV45	Nut
LJV 026	JV46	Screw (Bottom Plate)
LJV 646	JV46S	Screw
LJV 027	JV48	Screw (Back Wheels)
LJV 649	JV49	Tail Mender
LJV 028	JV50	Disconnect Swivel
LJV 031	JV52	Sweep Hose Complete
LJV 032	JV53	Hose Sleeve
LJV 033P	JV54-P7	Roller Ring (7 Pack)
LJV 034	JV55	Hose Jet Collar
LJV 035	JV56	Hose Jet
LJV 036	JV57	Feed Hose Float
LJV 057P	JV61-P2	Lock Washer (2 Pack)
LJV 037P	JV62-P2	Side Wheel Complete (2 Pack)
LJV 039P	JV64-P2	Side Wheel (2 Pack)
LJV 611	JV70	Brass Weight – Large
LJV 613	JV71	Brass Weight Kit (2 X Small)
LLP 058	JV501	Starter Hose (White)
LJV 029	JV502	Feed Hose 1st Section (Dark Blue)
LJV 030	JV503	Feed Hose 2nd Section (Light Blue)
LJV 059	JV59	Roller Arm Repair Kit
LJV 040	JVP8	Pressure Tester including Gauge

***Note:** Add a 'G' to order code if requiring parts for the Graphite Grey Jet-Vac.


Jet-Vac Wall Adaptors

Code	Description
YMP 002	Wall Adaptor 19mm Male to 40mm Female Thread
YMP 004	Wall Adaptor 40mm Slip to 40mm Female Thread
YMP 009W*	Flush-Fit Wall Adaptor (White) Glues into 50mm CL9 Pipe
YMP 012W*	Flush-Fit Wall Adaptor (White) Glues into 50mm CL12 Pipe
YMP 015	Flush-Fit Wall Adaptor (White) suits vinyl and Fibreglass
ASR 212	White LED – Astral Mini-Dichro Retro – Concrete
ASR 214TX	Pro RGB+W LED – Astral Mini-Dichro Retro – Concrete


*Replace **W** with: **G** = Grey, **B** = Black



SPARE PARTS for Jet-Vac Pool Cleaner



SPARE PARTS for Evo2 LED Underwater Light




Evo2 Accessories		
Item	Code	Description
1	ASN 050	Evo2 Housing
1a	ASN 050W	Evo2 Housing – With Re-Bar Wings
1b	ASN050CD	Evo2 Housing – Rear Conduit Provision
2	ASL 116	Evo2 Protective Cap For Housing (Red)
3	ASL 051	Evo2 Adjustable Dress Ring
3	ASL 051G	Evo2 Adjustable Dress Ring – Grey
3	ASL 051B	Evo2 Adjustable Dress Ring – Black
4	ASL 130	Evo2 Plaster Cap For Dress Ring (Green)
14	ASN 375	Plug Kit for Evo2/EvoMax Lights
15	ASN 361	Evo2 Plug Cap
23	ASL 076	Evo2 Extended Dress Ring
7	ASS 056	Evo2 Stainless Steel Trim Ring Kit
6	ASL 065	Evo2 Screw Kit Standard (Ka40x14)
8	ASN 600	Evo2 Screw Kit – For SS Ring (Ka40x20)

Specify if ordering lights only for fibreglass pools.
Specify Fascia colour – White (standard), Grey or Black.

Evo2 LED Lights only – Concrete		
Item	Code	Description
5	ASN 401	Blue LED Evo2 Light Only – Concrete
5	ASN 402	White LED Evo2 Light Only – Concrete
5	ASN 405	Warm White LED Evo2 Light Only – Concrete
5	ASN 404TX	PRO RGB+W LED Evo2 Light Only – Concrete INSTATOUGH Program
5	ASN 404AX	PRO RGB+W LED Evo2 Light Only – Concrete ASTRAL Program
5	ASN 404JX	PRO RGB+W LED Evo2 Light Only – Concrete JANDY GENERIC Program
5	ASN 404HX	PRO RGB+W LED Evo2 Light Only – Concrete HAYWARD Program
5	ASN 404PX	PRO RGB+W LED Evo2 Light Only – Concrete PENTAIR Program
5	ASN 404DC	PRO RGB+W LED Evo2 Light Only – Concrete ASTRAL HALO DC Program

Evo2 Cables only		
Item	Code	Description
13	ASN 420	20M Evo2 Cable & Quick-Connect Plug
13	ASN 430	30M Evo2 Cable & Quick-Connect Plug
13	ASN 440	40M Evo2 Cable & Quick-Connect Plug
13	ASN 450	50M Evo2 Cable & Quick-Connect Plug

SPARE PARTS for EvoMAX LED Underwater Light



EvoMAX Accessories		
Item	Code	Description
1	ASN 050	EvoMax Housing
1a	ASN 050W	EvoMax Housing – With Re-Bar Wings
2	ASL 116	EvoMAX Protective Cap For Housing (Red)
3	ASL 051	EvoMAX Adjustable Dress Ring
3	ASL 051G	EvoMAX Adjustable Dress Ring – Grey
3	ASL 051B	EvoMAX Adjustable Dress Ring – Black
4	ASL 130	EvoMAX Plaster Cap For Dress Ring (Green)
14	ASN 375	Plug Kit for Evo2/EvoMAX Lights
15	ASN 361	EvoMAX Plug Cap
23	ASL 076	EvoMAX Extended Dress Ring
10	MXA 065	EvoMAX Screw Kit Standard (Ka40x20)
12	MXA 066	EvoMAX Screw Kit – For SS Ring (Ka40x25)
11	MXA 056	EvoMAX Stainless Steel Trim Ring Kit
17	ASN 125	EvoMAX/Evo2 Conduit Cable Seal

EvoMAX LED Lights only – Concrete		
Item	Code	Description
9	MXA 101	Blue LED EvoMAX Light Only – Concrete
9	MXA 102	White LED EvoMAX Light Only – Concrete
9	MXA 106	Warm White LED EvoMAX Light Only – Concrete
9	MXA 104TX	PRO RGB+W LED EvoMAX Light Only – Concrete INSTATOUGH Program
9	MXA 104AX	PRO RGB+W LED EvoMAX Light Only – Concrete ASTRAL Program
9	MXA 104JX	PRO RGB+W LED EvoMAX Light Only – Concrete JANDY GENERIC Program
9	MXA 104HX	PRO RGB+W LED EvoMAX Light Only – Concrete HAYWARD Program
9	MXA 104PX	PRO RGB+W LED EvoMAX Light Only – Concrete PENTAIR Program
9	MXA 104DC	PRO RGB+W LED EvoMAX Light Only – Concrete ASTRAL HALO DC Program

EvoMAX Cables only		
Item	Code	Description
13	ASN 420	20M EvoMAX Cable and Quick-Connect Plug
13	ASN 430	30M EvoMAX Cable and Quick-Connect Plug
13	ASN 440	40M EvoMAX Cable and Quick-Connect Plug
13	ASN 450	50M EvoMAX Cable and Quick-Connect Plug

SPARE PARTS for QC LED Surface Mounted Light




2. Render Ring
P/N APL061



3. Universal Mounting Bracket
P/N APL050



1. Light only - front view
P/N LED021~024Q



4. Design Ring – factory fitted to the front of the light and can be easily unclipped if not required.
P/N LED151 – White
P/N LED152 – Metallic Grey



5. Cable with Plug Kit.
The cable is circular 2-core 0.75mm², and is available in lengths of 20m, 30m and 40m.
P/N LED420~440





7. Quick Connect Plug Kit.
This innovative plug kit is supplied with a range of colour-coded cable seals, allowing it to be connected to a range of cable thicknesses. It simply plugs into the rear of the QC LED Light and is secured with three screws.
P/N LED375

12. Cable Hook.
P/N APL802




1. Light only - rear view


6. PE-6 Screw Kit.
P/N APL006




8. Thick Cable Kit
Use when retro-fitting a Aqua-Quip QC Surface Mounted LED Pool Light onto an existing cable that is too thick (or has become swollen over time).
P/N ASN119



9. Locating Bar Assembly (left)
required for Stroud SM400 and Filtrite retro-fits. P/N APL075



10. Retro-Fit Screw Kit to affix the Universal Mounting Bracket to the concrete pool wall. P/N APL071




11. Extension Cable Joining Kit.
60cm long to extend the original cable. Available in 1mm² (P/N LED114), 1.5mm² (P/N LED115) and 4mm² (P/N LED120).

SPARE PARTS for QC LED Surface Mounted Light

Code	Part #	Description
1	LED 021	Blue LED QC Light Only
1	LED 022	White LED QC Light Only
1	LED 026	Warm White LED QC Light Only
1	LED 024	Green LED QC Light Only
1	LED 024Q	Quad-Colour LED QC Light Only
1	LED 024DC	Multi-Colour LED QC Light Only – ASTRAL HALOCHLOR DC
5	LED 420	20M Cable With QC Plug Kit
5	LED 430	30M Cable With QC Plug Kit
5	LED 440	40M Cable With QC Plug Kit
3	APL 050	Universal Mounting Bracket
3	APL 050S	Universal Mounting Bracket – Short Posts
2	APL 061	Render Ring (Inc Screws)
4	LED 151	Design Ring – White
4	LED 152	Design Ring – Metallic Grey
6	APL 006	PE-6 Screw Kit For Mounting Bracket
7	LED 375	QC Series Quick Connect Plug Kit
8	ASN 119	Thick Cable Kit For QC And Evo Series
9	APL 075	Locating Bar Assembly For SM400 And Filtrite

Code	Part #	Description
10	APL 071	Retro Fit Screw Kit (Bracket To Wall)
11	LED 114	QC Extension Cable Joining Kit (1mm ² Cable)
11	LED 115	QC Extension Cable Joining Kit (1.5mm ² Cable)
11	LED 120	QC Extension Cable Joining Kit (4mm ² Cable)
13	ASN 366	Cable Nut
14	ASN 367	Washer
15	ASN 373	Green Seal (Suits Gauge .5mm ² Cable)
16	ASN 374	Blue Seal (Suits Gauge .75mm ² Cable)
17	ASN 370	Red Seal (Suits Gauge 1mm ² Cable)
18	ASN 371	White Seal (Suits Gauge 1.5mm ² Cable)
19	ASN 372	Black Seal (Suits Gauge 2.5mm ² – 4mm ² Cable)
20	ASN 365	Cable Clamp
21	APL 806	Screw Kit For Cable Bracket
22	APL 804	Cable Bracket
23	ASN 363	Connector Housing
24	ASN 380	O-Ring Kit
25	ASN 611	Female Pin Kit
26	ASN 362	Female Plug (AU)
27	APL 803	Cable Cap


SPARE PARTS for EvoFG



EvoFG LED Lights For Fibreglass and A/G Vinyl Pools		
Code	Part #	Description
1	ASG 125	EvoFG Nut & Gasket Kit
2	ASG 9420	EvoFG Housing & Cable Kit 20M
2	ASG 9430	EvoFG Housing & Cable Kit 30M
3	ASR 375	EvoFG Quick Connect Plug Kit
4	ASG 201	EvoFG LED Light Only – Blue
4	ASG 202	EvoFG LED Light Only – White
4	ASG 207	EvoFG LED Light Only – Warm White
4	ASG 204T	EvoFG LED Light Only – MULTI RGB INSTATOUGH Program
4	ASG 204TX	EvoFG LED Light Only – PRO RGB+W INSTATOUGH Program

EvoFG LED Lights For Fibreglass and A/G Vinyl Pools		
Code	Part #	Description
4	ASG 204AX	EvoFG LED Light Only – PRO RGB+W ASTRAL Program
4	ASG 204JX	EvoFG LED Light Only – PRO RGB+W JANDY GENERIC Program
4	ASG 204HX	EvoFG LED Light Only – PRO RGB+W HAYWARD Program
4	ASG 204PX	EvoFG LED Light Only – PRO RGB+W PENTAIR Program
4	ASG 204DC	EvoFG LED Light Only – PRO RGB+W ASTRAL HALO DC Program
5	ASG 115	Evo FG Screw Kit


SPARE PARTS for Aqua-Boost Booster Pump



Item	Code	Description
1	ABP002	Aqua-Boost Seal Plate
2	ABP001	Aqua-Boost Volute
3	ABP097	Aqua-Boost Base Complete (Includes ABP095 & LJP019)
4	ABP003	Aqua-Boost Carry Handle
5	ABP006	Aqua-Boost Shaft Access Cover
6	ABP040	Aqua-Boost Impeller Complete
7	ABP091	Aqua-Boost Motor
8	LJP019	Aqua-Boost Base Bushings
9	APP079	Aqua-Boost Impeller O-Ring
10	ABP034	Aqua-Boost Nut – Volute
11	ABP036	Aqua-Boost Motor Screw – Upper
12	ABP035	Aqua-Boost Volute O-Ring
13	APL213	Aqua-Boost Bolt – Volute
14	ABP025	Aqua-Boost Rubber Slinger
15	APP009	Aqua-Boost Mechanical Seal Kit


Item	Code	Description
17	ABP095	Aqua-Boost Motor Support
18	ABP032	Aqua-Boost Washer – Seal Plate
19	ABP031	Aqua-Boost Motor Screw – Lower
20	APP013	Aqua-Boost Shaft Sleeve
21	ABP033	Aqua-Boost Washer – Volute
22	LJP012	Aqua-Boost Flexi Plumbing Kit
23	MIS022	Nut And Tail
24	MIS023	Threaded Nipple
26	LJP030	Barbed Fitting (40mm Inside, 50mm Outside)
27	MIS028	White Flexi Hose 90cm
28	MIS012	Stainless Steel Clamp
29	LJP010	Aqua-Boost Pvc Fitting Kit
30	BPF001	Valve Adaptor 40mm X 25mm
31	QPF037	Barrel Union 40mm
32	ABP019	Impeller Removal Tool

SPARE PARTS for USA Booster Pump



Item	Code	P/N	Description
1	LJP 001	LA021-5	Impellor
2	LJP 002	LA05-5	Brass Shaft Extension
3	LJP 003	LA11-5	Bolt – Volute
4	LJP 004	LA12-5	Nut – Volute
5	LJP 005	LA41-5	O-Ring – Volute
6	LJP 006	LA13-5	Bolt – Motor
7	LJP 009	LA39-5	Volute (Face Plate)
8	LJP 010	LA49-5D	PVC Fitting Kit (Suction and Discharge)
9	APP 013	LA06-5	Pump Shaft Sleeve
10	LJP 013	LA385	Drain Plug
11	LJP 014	LA375	O-Ring For Drain Plug
12	LJP 015	LA41	Pump Stand – New Style
13	LJP 017	LA295	Seal Plate
14	LJV 202	80725 2TTD-A11	Motor

Item	Code	P/N	Description
15	APP 009		Mechanical Seal Assembly
16	APP 079		Impellor O-Ring
17	LJP 012		Flexi Plumbing Kit (Suction and Discharge)
18	BPF 001	34010	Valve Adaptor 40mmx 25mm Thread
19	QPF 037	36590	Barrel Union 40Mm
20	MIS 012	1432	Stainless Steel Clamp
21	MIS 013	1925	Threaded Director
23	MIS 022	NT2519	1" Nut And 19mm Tail
24	MIS 023	N2525	Nipple 1"
25	LJP 021	LA13-6	Bolt – Stand/Motor
22	BPF 002	2540	Faucet Adaptor 40mm x 25mm
26	LJP 030	194050	Barbed Fitting (40mm Inside, 50mm Outside)
27	MIS 028	WPH 900-19	White Flexi Hose 90cm



Code	Part #	Description
1	LED 021	Blue LED QC Light Only
1	LED 022	White LED QC Light Only
1	LED 026	Warm White LED QC Light Only
1	LED 024	Green LED QC Light Only
1	LED 024Q	Quad-Colour LED QC Light Only
1	LED 024DC	Multi-Colour LED QC Light Only – ASTRAL HALOCHLOR DC
5	LED 420	20M Cable With QC Plug Kit
5	LED 430	30M Cable With QC Plug Kit
5	LED 440	40M Cable With QC Plug Kit
3	APL 050	Universal Mounting Bracket
3	APL 050S	Universal Mounting Bracket – Short Posts
2	APL 061	Render Ring (Inc Screws)
4	LED 151	Design Ring – White
4	LED 152	Design Ring – Metallic Grey
6	APL 006	PE-6 Screw Kit For Mounting Bracket
7	LED 375	QC Series Quick Connect Plug Kit
8	ASN 119	Thick Cable Kit For QC And Evo Series
9	APL 075	Locating Bar Assembly For SM400 And Filtrite

Code	Part #	Description
10	APL 071	Retro Fit Screw Kit (Bracket To Wall)
11	LED 114	QC Extension Cable Joining Kit (1mm ² Cable)
11	LED 115	QC Extension Cable Joining Kit (1.5mm ² Cable)
11	LED 120	QC Extension Cable Joining Kit (4mm ² Cable)
13	ASN 366	Cable Nut
14	ASN 367	Washer
15	ASN 373	Green Seal (Suits Gauge .5mm ² Cable)
16	ASN 374	Blue Seal (Suits Gauge .75mm ² Cable)
17	ASN 370	Red Seal (Suits Gauge 1mm ² Cable)
18	ASN 371	White Seal (Suits Gauge 1.5mm ² Cable)
19	ASN 372	Black Seal (Suits Gauge 2.5mm ² – 4mm ² Cable)
20	ASN 365	Cable Clamp
21	APL 806	Screw Kit For Cable Bracket
22	APL 804	Cable Bracket
23	ASN 363	Connector Housing
24	ASN 380	O-Ring Kit
25	ASN 611	Female Pin Kit
26	ASN 362	Female Plug (AU)
27	APL 803	Cable Cap

Notes:

1. The EvoLV Niches and EvoLV End Caps come with two options for the connection of 20mm rigid PVC conduit. As supplied, the 90 degree conduit inlet is open and the straight inlet is blanked off. When using the straight inlet, glue in the supplied blanking plug to close the 90 degree inlet and use a 10mm drill to open the straight inlet for your cable.
2. The Spanner (Item 10, for Cable Seal tightening) is not supplied as part of the kit, and must be ordered separately
3. EvoLV Niches have an overall length of 245mm and allow 1100mm of cable to be wound up. The niches can be shortened by up to 40mm, with some reduction in the available cable capacity.

4. The length of the EvoLV Niche can be extended if required by inserting Ø65mm DWV pipe.
5. When using 50mm PVC pipe with EvoLV End Caps, the minimum straight pipe length should be 270mm to enable fitment of the light and 800mm of cable. The maximum straight pipe length is 310mm or less, otherwise the spanner will not reach the cable seal.
6. Cable Seal Kit (compression nut, washer, seal) is supplied fitted to the cable, and is not part of the EvoLV Niche or EvoLV End Cap.

*Render Rings and Press-Fit Adaptors also available in Grey and Black. Add “G” or “B” to order code.

MULTI-COLOUR LIGHTS

Operating Manual


Evo2 • EvoMAX • Aurora • EvoFG • EvoLV • QC Series LED lights only

InstaTouch enabled LED Pool Lights may be controlled using either Aqua-Quip's Insta Touch remote-control system or by manually controlling the lights at a wall switch.

Here, we describe manual operation using a wall switch.

Changing Modes

When the lights are turned on for the very first time, they will light in Slow Scroll (Mode 9 – See table, below). You advance from the current mode to the next mode by turning the light off for between 2 seconds – 5 seconds, then turning it back on. Each subsequent off/on cycle will advance to the next mode. There are seven fixed colours, six colour-changing animated shows, and the ability to select your own fixed colour from a wide palette.



Mode	Name
1	Blue (fixed colour)
2	Aqua (fixed colour)
3	Green (fixed colour)
4	Gold (fixed colour)
5	Magenta (fixed colour)
6	Red (fixed colour)
7	White (fixed colour)
8	Seaside (colour show – cool colours)
9	Slow Scroll (colour show – all colours)
10	Rapid Scroll (colour show – as above but faster)
11	Fireworks (colour show – emulating a fireworks display)
12	Disco (colour show with high activity)
13	Flash (colour show – jumping between colours)
14	Colour Selection Palette (choose your own fixed colour)


Switch OFF Time	Result
OFF for 2-5 seconds/ON	Progresses to Next Mode
OFF for 5-8 seconds/ON	Re-synchronises all lights
OFF for more than 8 seconds/ON	Recalls last active Mode

These instructions are for InstaTouch programmed Pool Lights manufactured after November, 2018. For instructions on other programs, see Page 35.

Once you have reached Mode 14 (Colour Selection Palette), the next off-then-on cycle will take you back to Mode 1 (Blue).

Note: Switching off, waiting less than 2 seconds, then switching back on may result in incorrect operation.

If the light is turned off for longer than eight seconds it remembers what mode it was in, and it turns back on in this mode. Once you have selected a colour or show which you enjoy, you can turn the lights off knowing that they will turn on again the next evening with this same colour or show.



CONTROLLER COMPATIBILITY for Aqua-Quip Multi-Colour Lights

If installing Aqua-Quip multi-colour lights with these third-party controllers, then specify the controller type when ordering lights:

Controller Type	Controller's Lighting Selection	Specify When Ordering Lights
Astral Connect 10 / Connect Lite / HALO Lite / HALO Hub / HALO Expand	SLX/FLX Multi-Colour Light	Astral Controller
HALO Chlor	SLX/FLX Multi-Colour Light	HALO Chlor DC
Zodiac Jandy AquaLink	Jandy LED Light	Zodiac Controller
Hayward OmniLogic	Universal ColorLogic (UCL)	Hayward Controller
Pentair IntelliTouch, EasyTouch, IntelliCenter	Intellibrite	Pentair Controller

Multi-colour pool lights, program updates and compatibility:

Controller Type	Controller's Lighting Selection
Wall Switch or Power Point	None
Aqua-Quip InstaTouch RF Remote Aqua-Quip InstaTouch WiFi Controller	Aqua-Quip InstaTouch
INSNRG	AquaQuip INS
Aquatek (by Dontek Electronics)	AquaQuip INS
Theralux Active Pool+Manager	AquaQuip INS
Aquamate X	AquaQuip INS
Sunlover Oasis Smart Control System	AquaQuip INS
SplashMe Automation Controller	Aqua-Quip InstaTouch
Home Automation Systems (C-Bus etc)	Contact Aqua-Quip

Multi-colour pool lights, program updates and compatibility:

Program: InstaTouch Pro Series RGB+W

Introduction Date: February 2022

Pro-Series RGB+W is now supplied as standard in Evo2, EvoMAX, EVOFG and EvoLV lights for new pool construction. RGB+W incorporates cool White LEDs alongside the Red, Green and Blue LEDs. So with RGB+W, you can select and hold a true 'white' colour. These lights will synchronise and perform the same as legacy MC1 RGB lights - but with a brighter and cleaner white light.

Pro-Series RGB+W lights are available with InstaTouch (MC1), Astral, Pentair, Hayward and Jandy programs.

Program: InstaTouch MC1 RGB


Introduction Date: November 2022

These RGB-only lights are still available as replacements and retro-fits so that they can synchronise with legacy pool lights. These lights are a special order, contact Aqua-Quip for details. Multi-RGB lights are available with InstaTouch (MC1), Astral, Pentair, Hayward and Jandy programs to match legacy lights with those programs.

Program: SP3 Multi-Colour

Introduction Date: 2008

Lights with SP3 program are available as special orders only, to match legacy lights with SP3 programs. SP3 programmed lights do not synchronise with InstaTouch lights.



LIGHT PROGRAM IDENTIFICATION

Aqua-Quip's LED Multi Colour Pool Lights are manufactured and programmed to operate from a variety of 3rd party controllers.

Each controller has its own unique way of operating, so the program loaded into each LED light must match the colour changing protocols of each controller. Regardless of the type of programming loaded into a light, its multi-colour programs can also be controlled from a wall switch/power point.

To identify the specific programming in your pool lights (in order to operate them correctly), follow the operating instructions that were originally provided with the pool lights. If these instructions have been misplaced, then check the label that is affixed to the rear of the light – refer to Table 1.

If you cannot easily access the lights to check the label, then follow the “Synchronising Protocol” in Table 1 – one by one – until you identify the specific programming.

Note If you have a third party controller or automation system, then it is likely that the lights are programmed to suit that controller. If the lights are not responding to the commands from the controller or remote-control system, then plug the transformer(s) into a standard main outlet, and operate the lights manually to re-synchronise. It is always best to carry out these procedures at night so you can more easily match the programming with the visible colours in your pool.

Label	How to Synchronise	Proceed to next colour or show	Save current mode	Instructions PDF (Scan QR Code)
 Aqua-Quip InstaTouch • MC1 RGB • PRO-Series RGB+W	Start with lights on for more than 10 seconds. Turn lights off, wait 5-8 seconds, turn back on. Lights should re-start in Blue. *InstaTouch firmware, identifiable by the black label, was introduced in November, 2018	Turn lights off, wait 2-5 seconds, turn back on.	Turn lights off, wait a minimum of 8 seconds, turn on.	
 Aqua-Quip SP3 Multi-Colour	Start with lights on for more than 10 seconds. Turn lights quickly off-on-off-on. Lights should start in Red and start scrolling in Colour Selection Mode. *SP3 firmware, identifiable by the yellow label, was introduced in August, 2008. It was superseded by InstaTouch firmware in November 2018.	Whilst in Colour Selection Mode, either wait for your favourite colour to appear, turn off for minimum 10 seconds, turn back on. Or, single off-on progresses through colour shows.	Turn lights off, wait a minimum of 10 seconds, turn on.	
 Astralpool Viron Connect	Start with lights on for more than 10 seconds. Turn lights off for a minimum of 3 seconds, turn back on, then within 2 seconds turn them quickly off-on-off-on. Lights should re-start in Blue.	Turn lights quickly off-on-off-on. Repeated off/on switches proceed through the colours and shows.	Turn lights off, wait a minimum of 10 seconds, turn on.	
 Zodiac and generic	Start with lights on for more than 10 seconds. Turn lights off, wait 4-6 seconds, turn back on. Lights should re-start in White.	Turn lights off, and turn back on within 3 seconds.	Turn lights off, wait a minimum of 7 seconds, turn on.	
 Pentair	Start with lights on for more than 10 seconds. Turn lights off/on quickly. Lights should re-start in SAM colour show.	Turn lights off/on repeatedly until desired colour or colour show is reached.	Turn lights off, wait a minimum of 20 seconds, turn on.	
 Hayward	Start with lights on for more than 20 seconds. Turn lights off, wait 11-14 seconds, turn back on. Lights should start in Voodoo Lounge colour show.	Turn lights off, wait 1-5 seconds, turn back on.	Turn lights off, wait a minimum of 20 seconds, turn on.	

All indicated Aqua-Quip trademarks and logos are property of Automatic Pool Cleaners Pty Ltd, trading as Aqua-Quip Australia. Third party registered and unregistered trademarks and logos are the property of their respective owners.

DOWNLOAD LINKS for Brochures and Manuals

EvoMAX Light  Installation Manual	EvoLV Light  Installation Manual	Booster Pumps  Installation Manual	Evo Series Retro & Plug kit  Installation Manual	LED Light Photometry  	InstaTouch Lighting Controller  Installation Manual
Evo2 Light  Installation Manual	QC Light  Installation Manual	QC Quattro  Operating Manual	QC Series Retro-Fit  Installation Manual	Flow Control Pro Plus Timer  	Dual Zone Remote Controller  Operating Manual
EvoCR Light  Installation Manual	Transformers  Installation Manual	Lighting  Manual	Product Brochures  PDF files	Product Images  	
EvoFG Light  Installation Manual	Jet-Vac  Installation Manual	Product List  PDF file 2023-2024	Product and Installation  Videos	Twister  Installation Manual & Parts Diagram	
Aurora Light  Installation Manual	Jet-Vac  Tune Up Kit	Product List  Excel file			

How To:

1. **Scan the QR code** with your camera or QR scanner app on your mobile phone, then press to open the link shown (some phones may automatically open the link you scanned without further manual input).
2. **Save the PDF** by pressing the “send” or “share” button, then choose your desired destination or app, such as documents folder, books app etc.
- **Link** by bookmarking the webpage in your browser via the menu button.

TERMS & CONDITIONS

Terms and Conditions of Sale:

1. All prices are subject to change or alteration without prior notice.
2. All prices quoted are ex-Factory Auburn NSW.
3. Invoices for goods with a gross value of less than \$250.00 including GST will incur a delivery and handling fee. Regional and interstate deliveries will incur a delivery and handling fee, regardless of the total invoice value, according to the weight and dimensions of the consignment. Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) does not arrange "third party" deliveries. Minimum gross order value is \$100.00.
4. Payment for goods must be made prior to delivery unless credit arrangements have been approved by Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip). Where there has been a failure to comply with the credit requirements previously provided, Automatic Pool Cleaners (Australia) Pty Ltd reserves the right to stop supply and require Cash on Delivery.
5. Goods will be invoiced at the prices in effect at the time of delivery.
6. All risks in the product shall pass to the purchaser when the goods leave Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) premises and from that point, regardless of how delivery is effected, any insurance shall be the debtor's responsibility.
7. All claims for damage and/or short delivery will be recognised only if made within seven days of delivery.
8. Goods may be returned for credit only with prior approval and must be in first class condition and accompanied by details of the original purchase. Goods returned will incur a handling charge made on the following basis, the percentage being calculated on the invoice value of the returned goods.
Goods returned after 30 days of invoice date – 10%
Goods returned after 60 days of invoice date – 20%
Goods returned after 90 days of invoice date – 30%
Goods over 90 days of invoice date will not be accepted for return.
9. Freight on returned goods, if not prepaid by the purchaser, will be deducted from the amount of the credit. Freight charged on the original invoice will not be credited.
10. In the event the account is not paid by the debtor within 30 days then the debtor shall become liable to pay our additional costs and administration charges and, at the option of Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip), interest shall commence to accrue at bank rate, plus 3%, with all these additional costs and interest becoming part of the outstanding debt.

Goods are sold and service or advice is given in connection therewith, on condition that the seller and their servants are not liable in contract, tort or otherwise for any loss, damage or injury to persons or property arising therefrom.

Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) makes no warranty or guarantee as to the results obtained by the supplied products unless they are installed and operated in accordance with the company's specification and recommendations.

Title

- 1.(a) Ownership in the goods supplied shall not pass to the customer until:
 - (i) the customer has paid for these goods in full; or
 - (ii) the customer sells these goods to its customers in the ordinary course of business.
- 1.(b) Until property in the goods passes hereunder to the Debtor, the Debtor acknowledges and agrees that:
 - (i) the relationship of Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) and the Debtor is that of bailor and bailee and nothing herein shall be interpreted as giving rise to a principal and agent relationship;
 - (ii) the Debtor shall store the goods in such a way that it is clear that they are the property of Automatic Pool Cleaners

(Australia) Pty Ltd (Aqua-Quip), but all costs of storage (whether or not storage is at the direction of Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip)) shall be for the account of the Debtor;

(iii) the Debtor irrevocably gives Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip), its agents and servants, leave and licence, without the necessity of giving any notice, to enter at any time on and into any premises occupied by the Debtor, to regain possession of the Products supplied.

- 1.(c) The parties covenant and agree that in the event of termination of this Agreement the provisions of this clause will survive any such termination and continue to the extent that Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) may exercise the rights hereunder to recover its property and the money due to it.

Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) warrants all its products to be free from original manufacturing defects and faulty materials under normal use and reasonable care for a period of 12 months, from the date of original purchase unless otherwise stated and subject to the following terms and conditions. Warranty applies only to the original purchaser. The company reserves the right to repair or replace any faulty products, at its own discretion.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Conditions of Warranty

- 1) Service costs (including labour, transportation and travelling) are excluded from the warranty.
- 2) The faulty components should be returned to the place of purchase. The components must be sent with proof of date of purchase details. Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) reserves the right to repair or replace the faulty components at its sole discretion.
- 3) It shall be the purchaser's responsibility to provide safe and reasonable access to the equipment before warranty service will be performed.
- 4) Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) is not liable for the loss of time, inconvenience, incidental expenses, labour or material charges in connection with the removal, repair or replacement of the product.
- 5) Products are specifically designed to operate in swimming pools and spa pools that are balanced in accordance with the Langlier Saturation Index and regularly treated with a chlorine based sanitiser system. Should other chemical treatment systems be used, Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) will not be responsible for damage caused by corrosion, scaling or stress cracking of equipment.
- 6) Automatic Pool Cleaners (Australia) Pty Ltd (Aqua-Quip) reserves the right to alter any or all specifications without prior notice and will not accept liability from any claims arising from any such change.
- 7) The warranty will only cover product that has been operated in accordance with the manufacturer's specifications. The warranty does not cover claims resulting from improper handling or maintenance, negligence, abuse, misuse, improper or faulty installation or unauthorised service.



Automatic Pool Cleaners (Australia) Pty Ltd.

40 Percy Street Auburn, NSW 2144 Australia.

Phone: +61 2 9643 8338

Email: aqua@aquaquip.com.au

Fax: +61 2 9643 8448

Web: aquaquip.com.au

 Aqua-Quip Australia

 [aquaquip_au](https://www.instagram.com/aquaquip_au)

 Aqua-Quip Australia

